



# HEAT PRESSES

A Variety of Heat Presses for All Printing Needs

---

*+ With intuitive 5" high definition true color touch screen system*



# Heat presses

VARIOUS MODELS TO ACCOMMODATE DIVERSE PRODUCTS

Ricoma offers a collection of heat presses tailored to meet your needs. Depending on the products you want to create, we have the right press for you.

HP-0606F  
Tag & Label Heat Press



HP-0506FPT  
Plate Heat Press



HP-0408FC  
Cap Heat Press



HP-0609FBL  
Ball Heat Press



HP-1620F  
Flat Heat Press



HP-1112HM  
Mug Heat Press



# Flat heat press

## TECHNICAL SPECIFICATIONS

Models	Dimensions	Package Dimensions	Net Weight	Gross Weight	Touch Screen
Flat Heat Press HP-1620F	400 x 500 mm (16 x 20 in)	980 x 580 x 680 mm (39 x 23 x 27 in)	39.5 kg (87 lb)	47.5 kg (105 lb)	13 cm (5 in)
Flat Heat Press HP-1620F-T	400 x 500 mm (16 x 20 in)	980 x 580 x 680 mm (39 x 23 x 27 in)	52 kg (115 lb)	60 kg (132 lb)	13 cm (5 in)
Flat Heat Press HP-1515F	380 x 380 mm (15 x 15 in)	855 x 580 x 670 mm (34 x 23 x 26 in)	32 kg (71 lb)	40 kg (88 lb)	13 cm (5 in)
Flat Heat Press HP-1515F-T	380 x 380 mm (15 x 15 in)	855 x 580 x 670 mm (34 x 23 x 26 in)	43 kg (95 lb)	51 kg (112 lb)	13 cm (5 in)

# Main features

## PRESS STYLISH FLAT GARMENTS IN A BREEZE

- Machine type: auto release, clamshell
- 13 cm (5 in) touch screen
- Celsius/Fahrenheit one-button switching
- Magnetic assist lock down system
- Two languages: English and Chinese
- Digital time and temperature controller
- Output statistics function
- Parameters storage function
- Maximum temperature: 225°C/437°F
- Temperature accuracy: ± 0.5%
- Built-in universal power supply 110V/60Hz and 220V/50Hz (self adaptable worldwide)



# Tag & label heat press

## TECHNICAL SPECIFICATIONS

Model	Dimensions	Package Dimensions	Net Weight	Gross Weight	Touch Screen
Tag & Label Heat Press HP-0606F	150 x 150 mm (6 x 6 in)	730 x 380 x 620 mm (29 x 15 x 24 in)	16.5 kg (36 lb)	21.5 kg (47 lb)	13 cm (5 in)

# Main features

## CREATE BRANDED ACCESSORIES IN MINUTES

- Machine type: auto release, clamshell
- 13 cm (5 in) touch screen
- Celsius/Fahrenheit one-button switching
- Magnetic assist lock down system
- Two languages: English and Chinese
- Digital time and temperature controller
- Output statistics function
- Parameters storage function
- Maximum temperature: 225°C/437°F
- Temperature accuracy: ± 0.5%
- Built-in universal power supply 110V/60Hz and 220V/50Hz (self adaptable worldwide)



# Cap heat press

## TECHNICAL SPECIFICATIONS

Model	Dimensions	Package Dimensions	Net Weight	Gross Weight	Touch Screen
Cap Heat Press HP-0408FC	100 x 200 mm (4 x 8 in)	730 x 380 x 620 mm (29 x 15 x 24 in)	16 kg (35 lb)	21 kg (46 lb)	13 cm (5 in)

# Main features

## CREATE ONE-OF-A-KIND DESIGNS ON BALL CAPS WITH EASE

- Machine type: auto release, clamshell
- 13 cm (5 in) touch screen
- Celsius/Fahrenheit one-button switching
- Magnetic assist lock down system
- Two languages: English and Chinese
- Digital time and temperature controller
- Output statistics function
- Parameters storage function
- Maximum temperature: 225°C/437°F
- Temperature accuracy: ± 0.5%
- Built-in universal power supply 110V/60Hz and 220V/50Hz (self adaptable worldwide)



# Mug heat press

## TECHNICAL SPECIFICATIONS

Model	Dimensions	Package Dimensions	Net Weight	Gross Weight	Touch Screen
Mug Heat Press HP-1112HM	11 oz (312 gm) (cylindrical) 12 oz (340 gm) (conical)	600 x 290 x 410 mm (24 x 11 x 16 in)	9 kg (20 lb)	11 kg (24 lb)	13 cm (5 in)

# Main features

## EASILY CREATE MEMORABLE, CUSTOM MUGS

- 13 cm (5 in) touch screen
- Celsius/Fahrenheit one-button switching
- Two languages: English and Chinese
- Digital time and temperature controller
- Output statistics function
- Parameters storage function
- Maximum temp.: 225°C/437°F (Recommended: do not exceed 180°C)
- Temperature accuracy: ± 0.5%
- Built-in universal power supply 110V/60Hz and 220V/50Hz (self adaptable worldwide)



# Ball heat press

## TECHNICAL SPECIFICATIONS

Model	Dimensions	Package Dimensions	Net Weight	Gross Weight	Touch Screen
Ball Heat Press HP-0609FBL	Φ 160-230 mm (6-9 in)	740 x 390 x 780 mm (29 x 15 x 30 in)	22 kg (49 lb)	27 kg (60 lb)	13 cm (5 in)

# Main features

## CREATE MEMORABLE DESIGNS FOR SPORTING EVENTS

- Machine type: auto release, clamshell
- 13 cm (5 in) touch screen
- Celsius/Fahrenheit one-button switching
- Magnetic assist lock down system
- Two languages: English and Chinese
- Digital time and temperature controller
- Output statistics function
- Parameters storage function
- Maximum temperature: 225°C/437°F
- Temperature accuracy: ± 0.5%
- Built-in universal power supply 110V/60Hz and 220V/50Hz (self adaptable worldwide)



# Plate heat press

## TECHNICAL SPECIFICATIONS

Model	Dimensions	Package Dimensions	Net Weight	Gross Weight	Touch Screen
Plate Heat Press HP-0506FPT	120 mm (5 in) 150 mm (6 in)	730 x 380 x 620 mm (29 x 15 x 24 in)	15.5 kg (35 lb)	20 kg (45 lb)	13 cm (5 in)

# Main features

## CREATE DECORATIVE PLATES FOR HOME DECOR, SPECIAL OCCASIONS AND MORE


- Machine type: auto release, clamshell
- 13 cm (5 in) touch screen
- Celsius/Fahrenheit one-button switching
- Magnetic assist lock down system
- Two languages: English and Chinese
- Digital time and temperature controller
- Output statistics function
- Parameters storage function
- Maximum temperature: 225°C/437°F (Recommended: do not exceed 180°C)
- Temperature accuracy: ± 0.5%
- Built-in universal power supply 110V/60Hz and 220V/50Hz (self adaptable worldwide)




# Panel features

## USER-FRIENDLY INTERFACE ALLOWS USER TO COMPLETE MORE PROJECTS FASTER


Take advantage of the machine's unique panel features designed to increase your efficiency. Use the home screen to input your target temperature, set your timer and switch between temperature scales. You can even save your settings according to the type of fabric you're printing on. Then, you can choose from your preset list of fabrics the next time you want to print on a similar fabric. Meanwhile, you can view how many garments you completed each day in the production statistics menu to keep track of your progress.




HOME SCREEN



SAVE CURRENT PARAMETERS



CHECK PARAMETERS LIST



PRODUCTION STATISTICS DETAILS



Use the home screen to input your target temperature, set your timer and switch between temperature scales.



THINK BEYOND

[www.ricoma.com](http://www.ricoma.com)



[facebook.com/ricoma.us](https://facebook.com/ricoma.us)



[youtube.com/ricomamiami](https://youtube.com/ricomamiami)



[pinterest.com/ricomahq](https://pinterest.com/ricomahq)



[instagram.com/ricomahq](https://instagram.com/ricomahq)



[twitter.com/ricomahq](https://twitter.com/ricomahq)

**Ricoma Headquarters in USA**

**Ricoma International Corporation**

11555 NW 124 Street, Medley, FL 33178, USA

TEL: (305) 418-4421 | FAX: (305) 418-5036

Toll Free: 1-888-292-6282

Website: [www.ricoma.com](http://www.ricoma.com) | Email: [info@ricoma.com](mailto:info@ricoma.com)

**Ricoma Factory in China**

**Ricoma (Shenzhen) Co., Ltd.**

Baochangli Industrial Park, Jinlong Road 3,

Shenzhen, P.R. China (Post: 518118)

TEL: 400-900-2939 | 0755-25857772-8630 | FAX: +86-755-2585-7773

Website: [www.ricoma.com.cn](http://www.ricoma.com.cn) | Email: [rcm@ricoma.cn](mailto:rcm@ricoma.cn)